AMENDMENTS TO THE SPECIFICATION:

Please replace paragraph [0005] with the following new paragraph [0005]:

[0005] General chemical compositions for groups of oxide materials with simple perovskite structures are $(A_{1*}M_x)BO_3$, $(A_{1*}M_x)(B^*B^*)O_3$ or $A(B_{1*}M_x)O_3$, (where A can be 1^* , 2^* and 3^* ions; B can be 5^* , [[4+]] 4^* , and 3^* ions; B' and B' can be 2^* , 3^* , 4^* , 5^* and 6^* ions, and M is a magnetic ion dopant). Specific examples are $(A_{1*}M_x)TiO_3$, $(A_{1*}M_x)ZrO_3$, $(A_{1*}M_x)SnO_3$, $(A_{1*}B_x)HfO_3$, La($MO_{1*}M_x)O_3$, and Sr(Ti_1 . $_xM_x)O_3$ where A=Ca, Sr, Ba, Pb, and Cd and M= Fe, Ni, Co, and Mn with 0<x<0.15.

Please replace paragraph [0005.1] with the following new paragraph [0005.1]:

[0005.1] According to these embodiments, the non-magnetic element A in a ferromagnetic perovskite oxide material having the formula (A_{1-x}M_x)BO₃, where A is at least one non-magnetic element selected from the group consisting of Ca, Sr, Ba, Pb, Y, La, and Gd. The element B is at least one non-magnetic element selected from the group consisting of Ti, Zr, Hf, Sn, Mo, Ta, W, Nb, Al, and Bi. The element M is at least one magnetic element selected from the group consisting of Fe, Co, Ni, Cr, Mn, and V. In one embodiment the index "x" ranges from greater than 0 to less than 0.15. In another embediment, Thus "x" ranges from 0 to 0.15 when A is Ca or Ba; B is Ti, Zr, or Hf; and M is Fe, Co, or Ni.

Please replace paragraph [0016] with the following new paragraph [0016]:

[0016] The invention includes general chemical compositions of the forms

 $(A_{1-x}M_x)BO_3$

(A_{1-x}M_x)(B'B'')O₃

 $A(B_{1-x}M_x)O_3$

where A can be 1 $^{+}$, 2 $^{+}$ and 3 $^{+}$ ions; B can be 5 $^{+}$, 4 $^{+}$, and 3 $^{+}$ ions; B' and B" can be 2 $^{+}$, 3 $^{+}$, 5 $^{+}$ and 6 $^{+}$ ions, M is a magnetic ion dopant such as Fe, Co, Ni and Mn.